Index

Alpine swifts (*Apus melba*) viii
ASSUMPTIONS 51-55; 127; 297-299

BANDING viii; 3; 201
Batch mark 3; 37; 41
Beta probability density function 393
BIAS
  adjusted estimators 207-211; 222; 281-284
  concepts of 222
    model 207-208
    statistical 207
  definition 281
Binomial distribution 7-11
Bluegill (*Lepomis macrochirus*) 23
BMDPLR computer program, *see* STATISTICAL METHODOLOGY
Bunting, Lazuli (*Passerina amoena*) 348

CAPTURE
  losses on 27; 99; 217-218
  probability 10; 48
CAPTURE HISTORY
  complete 34-35; 39; 112-146; 173-174; 300-301
  first 37-38; 78-99; 173; 200; 221-222; 301
  partial 39-42; 146-173; 198; 301
  unknown 38; 100-111; 173; 221; 225; 301
Cochran-Armitage test 375
Competing risk theory 57-59
Confidence interval 85; 292

Desert tortoise (*Gopherus agassizi*) 361
DISTRIBUTIONS
  beta 401-402; 405
  binomial 143-144
  chi-square 17; 19; 197; 215-216; 264; 266
  joint probability (Pr) 6
  multinomial 6; 17; 49; 174

normal 149
sampling 67; 292-293; 330

ESTIMATOR(S)
least-squares 244; 383
maximum likelihood 4; 11
EXPECT 214; 393; 401
EXPERIMENTS
desert tortoise 361
European starling 343
Lazuli bunting 348
mallard 332
northern pintail 335

General numerical example 29
General treatment effect, $\hat{S}$ 204
G-function(s) 182-184

HETEROGENEITY 286
comparison with homogeneity 286-287
definition 386
HYPOTHESES
alternative (H_A) 16; 64-77
null (H_0) 16; 64-77

JOLLYAGE computer program 382
Jolly-Seber, *see* **MODELS**

Lamprey, sea (*Petromyzon marinus*) 24
LIKELIHOOD
equation 11
function 7-11; 13; 80; 143
log 11; 14
maximum 6; 10-11
principle 10
Logistic transform 214; 334-335
Log-likelihood function 11; 13-14
Log-odds transform 214
Log-transform 211-214
Losses on capture, *see* **CAPTURE**
Lots 3; 240-243; 324-329

Mallard (*Anas platyrhynchos*) 332

m-arrays
full 32
reduced 33
MATRIX
CH 38; 37-42
Hessian 14
information 14
variance-covariance 12
Method of maximum likelihood 10
METHODS
delta 14
expectation 14-15
least-squares 376; 382-383
maximum likelihood 10
moments 103
Monte Carlo 279; 293-295
regression 376; 382-383
relative recovery rate 78; 97
Minimal sufficient statistic (MSS) 12; 83; 178-185
MODELS
capture-recapture 15
capture, handling, release effects 218-219
extended sequence of models 93
Jolly-Seber 3; 50-55; 77; 112; 114; 126; 349-351; 354; 379
partition of the full probability 174-178
sequence of $H_0, ..., H_{k-1,\phi}$ 66-77; 116; 173
Monte Carlo
method 279
simulation procedure (PROC SIMULATE) 279; 392-393; 399-406
MORTALITY
acute 56
chronic 56
direct 56-57; 343
indirect 56-57
natural 56
total treatment 56
Multinomial modeling approach 49; 126; 218
Multinomial probability distribution 49; 143-144; 174-178

Passive Integrated Transponder (PIT) 26; 299; 301; 316
Pintail, northern (*Anas acuta*) 335
Power (of a test) 279; 289
PROBABILITY
beta probability density function 393

capture 10; 48; 387
cell (π_i) 79
dam-to-dam survival (ϕ_i) 48; 79
distribution for a one-group Jolly-Seber study 143-144
of not being captured (q_i) 78-79
partition of the full probability model 174-178
survival 1; 48; 50; 387
PROTOCOLS 36
Complete Capture History 39; 112; 174; 301
First Capture History 37; 78; 200; 221-222; 302
Partial Capture History 39; 146; 301
Scheme A 39; 147; 198
Scheme B 39; 155; 198
Unknown Capture History 38; 100; 221; 225; 301

Quasi-likelihood 243-246

Relative recovery rate method, *see* **METHODS**
Relative risk 259-260
REGRESSION
comparison of regression versus ML approaches 383
consistency in the application of 383
methods 382
weighted 376-377; 383
RELEASE computer program 387
CHISQ 387-388; 394
CHMATRIX 387-389; 395
CONSTRAIN 395; 409
DETAIL 395; 400
EXPECT 393; 401
GLABEL 390; 392; 397
GROUPS 389
hardware compatibility 387
LINES 410
LMREAD: FCH, UCH, SCHEMEB, SCHEMEA 387-388; 391; 395; 397
LOTS 389
NOECHO 410
NSIM 400
OCCASIONS 389; 391
PARFILE 395; 409
PFILE 393; 401
PHIFILE 393; 401
POOL 394-395
PROC SIMULATE 387-388; 399; 400-402

PROC STOP 387-388; 395; 399
PROC SURVIV 387-388; 395; 408
programming details 410
REMOVAL 392
SEED 393
SFILE 393
SIMULATE 387-388; 399; 401
SUBPOPULATION 393-394; 402
SUMMARY 389; 395-396; 400
SUMMARY & NODETAIL 389; 395-396; 400
TITLE 387-389
UNBIAS 389; 393; 396; 400
WEIGHT 393-394; 402-403
Replicate 240
REPLICATION 240-241; 324

Starling, European (*Sturnus vulgaris*) 343
STATISTICAL METHODOLOGY and TERMINOLOGY
approximate (1-α) percent confidence interval 212; 214; 325
BMDPLR 335
definition of parameters 48
estimator robustness 285
full m-array 32
G-function(s) 182-184
inductive inference 4
likelihood function/principle/equation 7; 10; 11; 80
log-likelihood function 13-14; 82
log-odds (logistic) transform 240
log-transformations 211; 214
lots (definition) 240
method of maximum likelihood 10
maximum-likelihood estimators 11
maximum-likelihood procedure 10-11
minimal sufficient statistics (MSS) 12; 83; 178-185
multinomial probability distribution 49; 174
reduced m-array 33
replication 240-241; 324
Student's t-test 325-326
sublots 242
sufficient statistics 12
Taylor's series expansion 209-210
treatment effect estimators 210
Student's t-test 325-326
Subcohort 44

Sublots 242
SURVIVAL
rate (S) 2; 210
rates ($\phi_{t\,i}$ and $\phi_{c\,i}$) 31; 210

Taylor's series expansion 209-210
TESTS AND TESTING
Cochran-Armitage 375
goodness of fit 71; 148; 160; 192
hypothesis 16; 64-77
of assumptions (goodness of fit and among t groups) 86; 127
Tortoise, desert (*Gopherus agassizii*) 361
TRANSFORMS
log 207; 211-214
log-odds (logistic) 214
TREATMENT EFFECTS
acute 62-63
chronic 62-63
direct 62-63
estimators 210
indirect 210

VARIANCE COMPONENTS
definition 260-275
estimation 260-275
lot-to-lot 275-278
VARIANCES AND COVARIANCES
components of 22
matrix 12-14
methodology for obtaining estimators 13-14
sampling 12; 260
Variation
definition 22
population and sampling 22
sampling 23
spatial 22-23; 25
temporal 22-23; 25